Office of the Store Officer



INDIRA GANDHI INSTITUTE OF MEDICAL SCIENCES.

SHEIKHPURA, PATNA – 800 014 (Bihar, India)
Tel.: 0612 – 2297631, 2297099; Fax: 0612 – 2297225; Website: www.igims.org;
E-Mail: bme@igims.org

Urgent Short Quotation Notice No.: 14 /2014-15/IGIMS/STORE

URGENT SHORT QUOTATION NOTICE

Sealed quotations with terms & conditions are hereby invited from Manufacturer or their authorized Distributor/Stockiest/Agency for the supply of various items (i.e. Linen Items, Mattress, LED TV, DTH, Split Air- Conditioner, Refrigerator, Water Purifier, Water Cooler, Epoxy Flooring, Lead Glass etc.) details as per list attached for day to day functioning of Hospital of this Institute.

Bidders are required to submit following documents along with their quotation.

- a. Certified copy of VAT Registration Certificate.
- b. Certified copy of PAN Card.
- c. Affidavit to the effect that the bidder has not been blacklisted / debarred by any Govt. Institutions / Organization
- d. Affidavit to the effect that the quoted rate is not higher than the MRP.
- e. Affidavit to the effect that the bidder has not supplied the same items to any other Govt. / Pvt. Organization / Institution at the rate lower than the rate offered against this quotation notice.
- f. Submission of EMD of Rs. 10,000/- (Rs: Ten Thousand Only) in way of Demand Draft in favour of "Director, I.G.M.S. Patna Payable at Patna. Without EMD, quotation will not be accepted and summarily rejected.

The rate quoted by bidder must be valid for a minimum period of **one year** and further extendable as per requirement on mutual consent.

Sealed quotations along with terms & conditions must reach to the office of the Director, I.G.I.M.S., Sheikhpura, Patna – 800 014 up to 19. 11. 2014 till 4:00 P.M. through Speed / Registered Post / Courier. The institute reserves the right to accept / reject any or all quotations without assigning any reasons. Please mention "Quotation for supply of "(i.e. Linen Items, Mattress, LED TV, DTH, Split Air- Conditioner, Refrigerator, Water Purifier, Water Cooler, Epoxy Flooring, Lead Glass etc.)" at the left top corner of the envelope.

List of Items:

Sl. No.	Name of the Item	Specification
1.	Blanket (Red)	 Size: 150 Cm x 250 Cm. Weight: 2.5 Kg. (approx.) Manufactured as per I.S.I. standard booklet No.IS:892:1980, Type B with packing of each blanket in polythine bag.
2	Blanket (Check)	 Size: 150 Cm x 250 Cm. Weight: 2.5 Kg. (approx.) Manufactured as per I.S.I. standard booklet No.IS:892:1980, Type B with packing of each blanket in polythine bag.
3.	Baby Blanket	
4.	Mattress (Coir) Big Size	• Size: 72" x 36" x 4" with good quality Rexene.

5.	Cotton Pillow (White)	 Weight: 1 Kg. (approx.) Size: 66 Cm. X 40 Cm. Cotton filling of good quality
6.	Pillow Cover (White)	 Cover of inner flap Size: 66 Cm. X 40 Cm. Cotton cloth (Fine Quality)
7.	LED T.V. Set (Size – 28", 32", 35" & 42")	 Full HD Screen Size – 28' / 32" / 35" / 42" (separate rate is to be quoted for each sizes.) Resolution 1920 X 1080p Colour System PAL Multi, NTSE Wide Colour Enhancer Screen Format:
8.	DTH (Digital Satellite Service)	 (Digital satellite service that provides television viewing services directly to subscribers through satellite transmission anywhere in the country. In this a dish is placed outside the building which helps in receiving the signals and broadcasting the transmission onto a television) Rate is to be quoted in following combinations: To run single T.V. Set with one set up box and dish with one year basic package subscription (with HD) To run two T.V. Sets with one set up box and dish with one year basic package subscription (with HD) To run four T.V. Sets with one set up box and dish with one year basic package subscription (with HD) To run ten T.V. Set with one set up box and dish with one year basic package subscription (with HD)
9.	Refrigerator	a. Refrigerator - Five star rating (from LG, Samsung, and Whirlpool only) Capacity: 180 Ltrs.
		b. Refrigerator (double door), Five star rating (From LG, Samsung, and Whirlpool only)

		Capacity: 230 Ltrs. & 450 Ltrs.
10.	Water Purifier	Aqua guard, Kent, & Puro with RO/RO+ UV technology with capacity to filter approx. 60 ltrs/hr.
11.	Water Cooler (Blue Star, Usha, and Voltas)	Fully Stainless Steel body with Minimum 40 ltrs. Storage and 40 liters Cooling capacity/hr.
12.	Split Air Conditioner 1.5 tone & 2 tone	a. Description: Supplying, installation, testing and commissioning of 1.5 tone Split Air Conditioner of 5 Star rating with cordless LCD remote control up to 10 meter distance as well as outdoor unit complete with high capacity rotary compressor, Condenser, fan with all internal/external control wiring, with powder quoted stand/aluminum stand for outdoor unit etc. as required at site with following specification. Brand: General / Carrier / Hitachi / Voltas / Diakin / /Equivalent Nominal Capacity: 1.5tone Cooling capacity: 5.25kW ± 2% Electricity input: 230V/50Hz/Single Phase Coefficient of performance: 3.5 minimum Max. Ambient temperature: 48°C ±5% Moisture removal rate: 2 ±10%litre/hour Air flow rate: 5.6cmm(minimum) Noise level: Indoor unit :Less than 45 db / /Outdoor unit: Less than 55db Function modes: Auto/Cool/Fan/Dry - shall have sleep and power saving modes Other features: Automated vertical swing for horizontal louvers / Antifreeze thermostat Compressor: Rotary type Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit b. Description: Supplying, installation, testing and commissioning of 2.0 tone Split Air Conditioner of 5 Star rating with cordless LCD remote control up to 10 meter distance as well as outdoor unit complete with high capacity rotary compressor, Condenser, fan with all internal/external control wiring, with powder quoted stand/aluminum stand for outdoor unit etc. as required at site with following specification. Brand: General / Carrier / Hitachi / Voltas / Diakin / /Equivalent Nominal Capacity: 2.0 tone Cooling capacity: 2.0 tone

Coefficient of performance: 3.5 minimum Max. Ambient temperature: 48°C±5% Moisture removal rate: 2±10% litre/hour Air flow rate: 620 cfm (minimum) Noise level: Indoor unit :Less than 45 db / /Outdoor unit: Less than 55db Function modes: Auto/Cool/Fan/Dry - shall have sleep and power saving modes Other features: Automated vertical swing for horizontal louvers Antifreeze thermostat Compressor: Rotary type Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit 13. Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc.			Electricity input: 230V/50Hz/Single Phase
Max. Ambient temperature: 48°C ±5% Moisture removal rate: 2 ±10% litre/hour Air flow rate: 620 cfm (minimum) Noise level: Indoor unit :Less than 45 db / /Outdoor unit: Less than 55db Function modes: Auto/Cool/Fan/Dry - shall have sleep and power saving modes Other features: Automated vertical swing for horizontal louvers Antifreeze thermostat Compressor: Rotary type Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit 13. Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. 14. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			
Moisture removal rate: 2 ±10% litre/hour Air flow rate: 620 cfm (minimum) Noise level: Indoor unit :Less than 45 db / /Outdoor unit: Less than 55db Function modes: Auto/Cool/Fan/Dry - shall have sleep and power saving modes Other features: Automated vertical swing for horizontal louvers Antifreeze thermostat Compressor: Rotary type Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. 14. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			
Air flow rate: 620 cfm (minimum) Noise level: Indoor unit :Less than 45 db / /Outdoor unit: Less than 55db Function modes: Auto/Cool/Fan/Dry - shall have sleep and power saving modes Other features: Automated vertical swing for horizontal louvers Antifreeze thermostat Compressor: Rotary type Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. 14. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			
Noise level: Indoor unit :Less than 45 db / /Outdoor unit: Less than 55db Function modes: Auto/Cool/Fan/Dry - shall have sleep and power saving modes Other features: Automated vertical swing for horizontal louvers Antifreeze thermostat Compressor: Rotary type Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			
Function modes: Auto/Cool/Fan/Dry - shall have sleep and power saving modes Other features: Automated vertical swing for horizontal louvers Antifreeze thermostat Compressor: Rotary type Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit 13. Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. 14. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			(
Dother features: Automated vertical swing for horizontal louvers Antifreeze thermostat Compressor: Rotary type Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			Noise level: Indoor unit :Less than 45 db / /Outdoor unit: Less than 55db
Antifreeze thermostat Compressor: Rotary type Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit 13. Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. 14. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			
Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			· ·
Body surface finish: Powder coated / high quality paint finish Air filtering unit: Activated carbon cartridge, dust proof and anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			Compressor: Rotary type
anti bacteria filter Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			
Length of tubings: 15m or as per the installation requirement Remote handset: LCD display with night glow Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			Air filtering unit: Activated carbon cartridge, dust proof and
Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			anti bacteria filter
Voltage Stabilizer: Stabilizer having ISI quality certification and rating that matches with the power rating of the A/C unit Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Lead Sheet Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			
and rating that matches with the power rating of the A/C unit Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			
and rating that matches with the power rating of the A/C unit Epoxy Flooring (apprx.70 Sq. Ft.) is to be done in department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			77 14 C4 1 19 C4 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			
Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed. Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc. Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.	13	Fnovy Flooring	From Flooring (appry 70 Sq. Ft.) is to be done in department of
labour charges, material etc. Supply and fixing of lead sheet (approx. 65 Sq. Ft.) in two nos. of wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.	13.	Epoxy Flooring	Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion
wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.			Rate is to be quoted in Rs/- per Sq. Ft., which should include labour charges, material etc.
wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is to be installed.	14.	Lead Sheet	Supply and fixing of lead sheet (approx. 65 Sq. Ft) in two nos of
Pate is to be quoted in Ps / per Sq. Et, which should include		Zeua Siicet	wooden doors including door frame at department of Radiology where C. T. Scan Machine (Make: Toshiba, Model: Aquiion CXL, 128 Slice) is
labour charges, material etc.			to be installed.

Urgent Short Quotation Notice No.: 14 /2014-15/IGIMS/STORE

Sd/-(Shailendra Kr. Singh) Sr. Bio-Medical Engineer & Store Officer, I.G.I.M.S. – Patna.