

Ref. No.: IGIMS/ 2021/56/ Store

Date: 11/01/2021

E-Tender Notice No: 11/2020- 2021/Bio-Medical Equipment/IGIMS/Store

**CORRIGENDUM-II**

Amendment Notice to the Tender Document bearing E-Tender Notice No. 11/2020-21/Bio-Medical Equipment /IGIMS/Store for the Supply, installation and commissioning of Biomedical Equipment to the various dept. of IGIMS, Patna.


Amendments mentioned hereunder are notified:

Description	Specifications mentioned in the Bidding Document	Should be read as follows:
<b>Group: A – State Cancer Institute</b>		
<b>Supply, Installation, Commissioning &amp; Testing of Modular Operation Theatre</b>		
<b>1. Walling &amp; Ceiling Constructions</b>		
Sl. No. 1 (a): Point no. 1-3	<ul style="list-style-type: none"> <li>Constructed with 0.8 to 1.0 mm stainless steel panels backed with 12mm to 14 mm gypsum board. Substructure should be fixed on the floor and/or at the wall and/or ceiling. Panels will be fixed with screws onto the substructure. Joints will be filled with silicon dry profiles. Coating of the wall panels have to be a pre-fabricated powder coating with antibacterial silver ions with 60 to 80 microns thickness. Return air grills made of stainless steel, grinded or powder coated or aluminum material.</li> </ul>	<ul style="list-style-type: none"> <li>Constructed with <b>0.8 to 1.2 mm</b> stainless steel panels backed with 12mm to 14 mm gypsum board. Substructure should be fixed on the floor and/or at the wall and/or ceiling. Panels will be fixed with screws onto the substructure. Joints will be filled with silicon dry profiles. Coating of the wall panels have to be a pre-fabricated powder coating with antibacterial silver ions with 60 to 80 microns thickness/ <b>anti bacterial painted</b>. Return air grills made of stainless steel, grinded or powder coated or aluminum material.</li> </ul>
Sl. No. 1: Ceiling System Point no. 1	<ul style="list-style-type: none"> <li>Ceiling should be made of galvanized steel minimum 0.6 mm or more with prefabricated powder coating.</li> </ul>	<ul style="list-style-type: none"> <li>Ceiling should be made of galvanized steel/ <b>stainless steel</b> minimum 0.6 mm or more with prefabricated powder coating / <b>anti bacterial painted</b>.</li> </ul>

**Note:**

- All other specification, terms and conditions of the original tender documents shall remain unchanged.
- This amendment shall be part of the tender document and become effective immediately is supersession to the earlier corresponding version.

The document also can be downloaded from [www.eproc.bihar.govt.in](http://www.eproc.bihar.govt.in) and the IGIMS website [www.igims.org](http://www.igims.org).

  
 11/01/2021  
 Director,  
 IGIMS - Patna.