



**Office of Store & Procurement Section**  
**INDIRA GANDHI INSTITUTE OF MEDICAL SCIENCES,**

SHEIKHPURA, PATNA – 800 014 (Bihar, India)

Tel.: 0612 – 2297631, 2297099; Fax: 0612 – 2297225; Website: www.igims.org;

E-Mail: bme@igims.org / storeofficer@igims.org

E-Tender Notice No- 15/2020-21/IGIMS/Store

**CORRIGENDUM**

Based on the queries received from various prospective bidders, following amendments are being made in **E-Tender Notice No- 15/2020-21/IGIMS/Store** published for supply of surgical consumable to I.G.I.M.S - Patna on rate contract basis.

<b>Surgical Consumable list</b>		
<b>Clarification Sought</b>		<b>Changed / Modified / New clause</b>
<b>Sl.No.</b>	<b>Name of items</b>	<b>Amendment</b>
8	Absorbable Hemostatic Gelatin Sponge (7cm x 5cm x 1cm)	<ul style="list-style-type: none"> <li>• Absorbable Hemostatic Gelatin Sponge (<b>7-8cm x 5cm x 1cm</b>)</li> </ul>
116	BIPAP Machine for domiciliary use. Capability to independently control inspiratory and expiratory pressure levels, Inspiratory pressure range from 5 upto 30 cm H <sub>2</sub> O or better, Expiratory pressure range from 4 upto 30 cm H <sub>2</sub> O or better, Automatic leak compensation, Apnea back-up ventilation, Numeric display of set inspiratory / expiratory pressures, and leak, Alarm for leak and disconnection, Compatible integrated humidifier, Flexible plastic tubing, at least 2m in length, Built-in air filter, Two adult full face masks with their head straps, All necessary tubings connectors, adaptors and cables Weight less than 4kg, Power 220V 50 Hz AC, Warranty five years, AMC for five years after expiry of warranty	<ul style="list-style-type: none"> <li>• BIPAP Machine for domiciliary use. Capability to independently control inspiratory and expiratory pressure levels, Inspiratory pressure range from 5 upto 30 cm H<sub>2</sub>O or better, Expiratory pressure range from <b>2 - 20</b> cm H<sub>2</sub>O or better, Automatic leak compensation, Apnea back-up ventilation, Numeric display of set inspiratory / expiratory pressures, and leak, Alarm for leak and disconnection, Compatible integrated humidifier, Flexible plastic tubing, at least 2m in length, Built-in air filter, Two adult full face masks with their head straps, All necessary tubings connectors, adaptors and cables Weight less than 4kg, Power 220V 50 Hz AC, Warranty five years, AMC for five years after expiry of warranty</li> <li>• <b>Heated tubing- Climate control Tubing</b></li> <li>• <b>Remote access-Connected care</b></li> </ul>
244	CPAP Machine for domiciliary use. Capability to independently control inspiratory and expiratory pressure levels, Inspiratory pressure range from 5 upto 30 cm H <sub>2</sub> O or better, Automatic leak compensation, Apnea back-up ventilation, Numeric display of set inspiratory / expiratory pressures, and leak, Alarm for leak and disconnection, Compatible integrated humidifier, Flexible plastic tubing, at least 2m in length, Built-in air filter, Two adult full face masks with their head straps, All necessary tubings, connectors, adaptors and cables Weight less than 4 kg, Power 220V 50 Hz AC, Warranty five years, AMC for five years after expiry of warranty. Vendors should separately quote for the automatic variant .	<ul style="list-style-type: none"> <li>• CPAP Machine for domiciliary use. Capability to independently control inspiratory and expiratory pressure levels, Inspiratory pressure range from <b>2-20</b> cm H<sub>2</sub>O or better, Automatic leak compensation, Apnea back-up ventilation, Numeric display of set inspiratory / expiratory pressures, and leak, Alarm for leak and disconnection, Compatible integrated humidifier, Flexible plastic tubing, at least 2m in length, Built-in air filter, Two adult full face masks with their head straps, All necessary tubings, connectors, adaptors and cables Weight less than 4 kg, Power 220V 50 Hz AC, Warranty five years, AMC for five years after expiry of warranty. Vendors should separately quote for the automatic variant.</li> <li>• <b>Heated tubing- Climate control Tubing</b></li> <li>• <b>Remote access-Connected care</b></li> </ul>
266	Dialyser cellulose acetate – 1.2 m <sup>2</sup>	<ul style="list-style-type: none"> <li>• Dialyser cellulose acetate – <b>1.2 m<sup>2</sup> &amp; 1.3 m<sup>2</sup></b></li> </ul>
270	Dialyzers (Multi use) Polyphenylene membrane with polypropylene housing material. Steam sterilized and BPA free all sizes	<ul style="list-style-type: none"> <li>• Dialyzers (Multi use) Polyphenylene membrane with polypropylene housing material. Steam sterilized and BPA free all sizes</li> <li>• <b>Poly Ether Sulphone membrane and low dose dry gamma sterilisation</b></li> </ul>
271	Dialyzers (Single use) Polyphenylene membrane with polypropylene housing material. Steam sterilized and BPA free all sizes	<ul style="list-style-type: none"> <li>• Dialyzers (Single use) Polyphenylene membrane with polypropylene housing material. Steam sterilized and BPA free all sizes</li> </ul>

		<ul style="list-style-type: none"> <li>• <b>Poly Ether sulphone membrane and low dose dry gamma sterilization.</b></li> </ul>
565	Endo Mechanical - Circular Stapler (Cutter & Stapler) (all types and all sizes) for Open and Laparoscopic surgery	<ul style="list-style-type: none"> <li>• Endo Mechanical - Circular Stapler (Cutter &amp; Stapler) (<b>size-25/28/1/33</b>) for Open and Laparoscopic surgery</li> </ul>
566	Endo Mechanical - Contour Stapler (all types and all sizes)	<ul style="list-style-type: none"> <li>• Endo Mechanical - Contour Stapler /TA stapler (<b>size-45/60</b>)</li> </ul>
571	Endo Mechanical - Hemorrhoid surgery stapler -all types & all sizes	<ul style="list-style-type: none"> <li>• Endo Mechanical - Hemorrhoid surgery stapler – (<b>Diameter-33mm, Staple Height-3.1mm/4.8mm</b>)</li> </ul>
573	Endo Mechanical - Laparoscopic Disposable cannula without trocar, with sealing valve/cap. All sizes and all types (pediatric, adult and bariatric)-15, 12, 10, 5, 3 mm with various lengths	<ul style="list-style-type: none"> <li>• Endo Mechanical - Laparoscopic Disposable cannula without trocar, with sealing valve/cap. (<b>Length- Short / Standard / Long, Diameter-5/10/11/12/15 mm</b>)</li> </ul>
574	Endo Mechanical - Laparoscopic Disposable Trocar and cannula set with sealing valve/cap. All sizes and all types. (pediatric, adult and bariatric)- 15, 12, 10, 5, 3 mm with various lengths	<ul style="list-style-type: none"> <li>• Endo Mechanical - Laparoscopic Disposable Trocar and cannula set with sealing valve/cap. (<b>Length- Short / Standard / Long, Diameter-5/10/11/12/15 mm</b>)</li> </ul>
575	Endo Mechanical - Laparoscopic endo-bags for specimen retrieval disposable - All sizes	<ul style="list-style-type: none"> <li>• Endo Mechanical - Laparoscopic endo-bags for specimen retrieval disposable – (<b>size 3 x 6 / 5 x 8 mm</b>)</li> </ul>
578	Endo Mechanical - Linear Cutter & Stapler (all types and all sizes) Open and Laparoscopic surgery	<ul style="list-style-type: none"> <li>• Endo Mechanical - Linear Cutter &amp; Stapler (<b>Size-55/60mm, 75/80 mm &amp;100 mm</b>) for Open Surgery</li> <li>• Endo Staplers with reloads (<b>Size-30/45/60 mm</b>) for Laparoscopic surgery</li> </ul>
579	Endo Mechanical - Linear Staplers (Cutter and Stapler) for use in Laparoscopic Bariatric Surgery (all types and all sizes)	<ul style="list-style-type: none"> <li>• Endo Mechanical – <b>Endoscopic stapler(Size-30/45/60)</b> for use in Laparoscopic Bariatric Surgery</li> </ul>
583	Endo Mechanical Screw shaped 5 mm polyglycolic lactic acid absorbable tacker laparoscopic mesh fixation devices, all lengths and capacity	<ul style="list-style-type: none"> <li>• <b>Endo Mechanical- Linear cutter &amp; stapler (all types and all size) open surgery.</b></li> <li>• <b>Endo Mechanical- Linear cutter &amp; stapler (all types and all size) Laparoscopic surgery.</b></li> </ul>
585	Endo mechanical - Anchor shaped 5 mm absorbable tacker laparoscopic mesh fixation device, all length and capacity	<ul style="list-style-type: none"> <li>• <b>Endo Mechanical- absorbable tacker laparoscopic mesh fixation device, 15 Spikes.</b></li> <li>• <b>Endo Mechanical- absorbable tacker laparoscopic mesh fixation device, 30 Spikes.</b></li> </ul>
588	Endo Mechanical – Linear Stapler (all types and all sizes) Open and Laparoscopic surgery	<ul style="list-style-type: none"> <li>• Endo Mechanical – Linear Stapler (<b>Size-55/60 mm,75/80 mm</b>)Open surgery.</li> <li>• Endo Stapler with reloads (<b>Size-30/45/60</b>) for Laparoscopic Surgery</li> </ul>
589	Endo Mechanical – Reloads (cartridges) for Disposable staplers (for Open and Laparoscopic Surgery) (all types & sizes)	<ul style="list-style-type: none"> <li>• Reloads for <b>Open Staplers (Size-55/60, 75/80, 100 mm) for open surgery.</b></li> <li>• Reloads for Laparoscopic stapler (<b>size-30/45, 60 mm</b>) for Laparoscopic surgery.</li> </ul>
592	Endo Mechanical – Reusable Linear cutter & Stapler (all types & sizes)	<ul style="list-style-type: none"> <li>• Disposable linear Cutter &amp; Stapler (<b>size -60/80 mm</b>)</li> </ul>
779	Hollow fibre dialyser cellulose 2 cetate membrane 1.0m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser cellulose 2 cetate membrane 1.0m2 &amp; <b>1.1 m2</b></li> </ul>
780	Hollow fibre dialyser cellulose 2 cetate membrane 1.2m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser cellulose 2 cetate membrane 1.2m2 &amp; <b>1.3 m2</b></li> </ul>
784	Hollow fibre dialyser high flux polysufone membrane 1.1m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser high flux polysufone / <b>Poly Ether Sulphone</b> membrane 1.1m2</li> </ul>
785	Hollow fibre dialyser high flux polysufone membrane 1.3m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser high flux polysufone / <b>Poly Ether Sulphone</b> membrane 1.3m2</li> </ul>
786	Hollow fibre dialyser high flux polysufone membrane 1.5m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser high flux polysufone / <b>Poly Ether Sulphone</b> membrane 1.5m2</li> </ul>
787	Hollow fibre dialyser low flux polysufone membrane 1.5m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser low flux polysufone / <b>Poly Ether Sulphone</b> membrane 1.5m2</li> </ul>
789	Hollow fibre dialyser low flux polysufone membrane 1.0m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser low flux polysufone membrane 1.0m2</li> <li>• <b>Poly Ether Sulphone</b> membrane surface area <b>1.1 m2</b></li> </ul>

790	Hollow fibre dialyser low flux polysufone membrane 1.2m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser low flux polysufone membrane 1.2m2</li> <li>• <b>Poly Ether Sulphone membrane surface area 1.3 m2</b></li> </ul>
791	Hollow fibre dialyser middle flux polysufone membrane 1.1m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser middle flux polysufone membrane 1.1m2</li> <li>• <b>Poly Ether Sulphone membrane</b></li> </ul>
792	Hollow fibre dialyser middle flux polysufone membrane 1.3m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser middle flux polysufone membrane 1.3m2</li> <li>• <b>Poly Ether Sulphone membrane</b></li> </ul>
793	Hollow fibre dialyser middle flux polysufone membrane 1.5m2	<ul style="list-style-type: none"> <li>• Hollow fibre dialyser middle flux polysufone membrane 1.5m2</li> <li>• <b>Poly Ether Sulphone membrane</b></li> </ul>
954	Laparoscopic and Open surgical multi load clip applicators all types and all sizes 5mm, 10mm	<ul style="list-style-type: none"> <li>• Disposable Multi load clip applicators for <b>open surgery</b> having <b>20 titanium clips (Size-small / medium /Large)</b></li> <li>• <b>Disposable Endoscopic Multi load clip applicator (Size-5 mm) for Laparoscopic Surgery.</b></li> </ul>
1025	Mesh – Polypropylene mesh 10 x 15 cm, weight 60g & Pore size 1.5 mm	• Mesh – Polypropylene mesh 10 x 15 cm, <b>Light weight polypropylene Mesh with large pore size.</b>
1026	Mesh – Polypropylene mesh 15 x 15 cm, weight 60g & Pore size 1.5 mm	• Mesh – Polypropylene mesh 15 x 15 cm, <b>Light weight polypropylene Mesh with large pore size.</b>
1027	Mesh – Polypropylene mesh 7.5 x 15 cm, weight 60g & Pore size 1.5 mm	• Mesh – Polypropylene mesh 7.5 x 15 cm, <b>Light weight polypropylene Mesh with large pore size.</b>
1028	Mesh – Biological mesh (Collagen), bovine or porcine optimised collagen, all types, shapes and sizes	• <b>Mesh – Biological mesh, bovine, porcine or P4HB, fully resorbable mesh, all type, shapes and sizes</b>
1031	Mesh - Heavy and regular polypropylene mesh, all shapes and sizes	<ul style="list-style-type: none"> <li>• <b>Mesh- Heavy and regular polypropylene mesh 6*11cm /7.5 * 15.2 cm</b></li> <li>• <b>Mesh- Heavy and regular polypropylene mesh, 15*15 cm</b></li> <li>• <b>Mesh- Heavy and regular polypropylene mesh, 30*30 cm</b></li> </ul>
1032	Mesh - Helical shaped 5 mm non absorbable titanium tacker for laparoscopic mesh fixation, device, all lengths and capacity	<ul style="list-style-type: none"> <li>• Mesh - 5 mm non absorbable <b>titanium</b> tacker for laparoscopic mesh fixation, device, all lengths and capacity</li> <li>• Mesh - 5 mm non absorbable <b>metallic</b> tacker for laparoscopic mesh fixation, device, all lengths and capacity</li> </ul>
1033	Mesh – Light weight monofilament polyester mesh, all shapes and sizes	• Mesh – Light weight monofilament polyester or <b>polypropylene mesh</b> , all shapes and sizes
1034	Mesh - Macroporous tissue seperating multilayered partially absorbable mesh with dual sided polyglecaprone film, polydioxanone and soft Polypropylene mesh, deployable on viscera from both side, all shapes and sizes	• Mesh- <b>Tissue separating dual layered partially absorbable mesh with one side tissue separating film and polypropylene mesh on the other side, all shapes and size</b>
1035	Mesh - Multifilament 2 dimentional polyester mesh with diagonal elasticity	• Mesh – <b>Multifilament / Monofilament 2 dimensional polyester / Polypropylene mesh</b> with diagonal elasticity
1036	Mesh - Polyester mesh 3 dimentional with micro porosity, multidirectional elasticity with optimised collagen absorbable anti adhesive barrier, composite mesh, all shapes and sizes	<ul style="list-style-type: none"> <li>• Mesh- <b>Polyester</b> mesh with absorbable anti adhesive barrier, composite mesh, all shapes and size.</li> <li>• Mesh- <b>polypropylene</b> mesh with absorbable anti adhesive barrier, composite mesh, all shapes and size.</li> </ul>
1042	Mesh- Soft and Light polypropylene mesh, thread diameter between 0.05 to 0.1mm, bursting strength more than 5 kg.square inch, all shapes and sizes	• <b>Mesh- Soft and Light polypropylene mesh, with large pore size, all shape and size</b>
1044	Mesh- Tissue separating multilayered mesh with oxidized regenerated cellulose and polydioxanone and soft polypropylene, all shapes and sizes	• <b>Mesh- Tissue separating dual layered mesh with Anti adhesive film on one side and polypropylene on other side.</b>
1651	Suture 6'0 Vicryl with spatulated needle double arm	• <b>Suture 6'0 polyglactic 910 with spatulated needle double arm</b>

1862	Biliary Metal Stent D TYPE	• Biliary Metal Stent
1865	Biliary Metal Stent Uncovered LARGE CELL DESIGN LCD TYPE	• Biliary Metal Stent Uncovered
1866	Biliary Metal Stent Y TYPE	• Biliary Metal Stent
1879	EUS FNA Coilspring sheath NEEDLE	• EUS FNA NEEDLE
1939	Colonic/Enteral Stent (D TYPE) of different sizes	• Colonic/Enteral Stent of different sizes
1950	Esophageal Metal Stent Covered Antireflex All Sizes	• Esophageal Metal Stent Covered
<b>8. DOCUMENTS COMPRISING THE BID:</b>		
(h)	Copy of Sales tax / VAT registration certificate.	• Copy of GST registration certificate
<b>TENDER FORM - 1 - TECHNICAL INFORMATION AND UNDERTAKING.</b>		
14	Copy of VAT/CST/ST Registration	• Copy of GST Registration No.
22	Sale Tax Registration No.	• GST Registration No
<b>Special Conditions</b>		
b	VAT and other Govt. levies will be paid extra as applicable by the supplier	• GST and other Govt. levies will be paid extra as applicable by the supplier
<b>32.Periodicity/ Duration of Tender</b>		
The rate contract is initially for a period of one (01) year and may be extended till new rate contract gets final. IGIMS Patna shall, however, reserve the right to terminate the contract at any time without assigning any reason.		• The rate contract is initially valid for a period of <b>Two (02) years</b> and may be extended till new rate contract gets final. IGIMS Patna shall, however, reserve the right to terminate the contract at any time without assigning any reason.
<b>33. Other Conditions:</b>		
The successful firm will be required to do the work / job for a period of one year from the date of award the contract. IGIMS, Patna shall, however, reserve the right to terminate the contract at any time without assigning any reason. The job will be entrusted on the basis of all-inclusive rate contract on as is where is and competitive rates basis		• The successful firm will be required to do the work / job for a period of <b>2 years</b> from the date of award the contract. IGIMS, Patna shall, however, reserve the right to terminate the contract at any time without assigning any reason.
<b>New addition in items list</b>		
1996	Polyglactin 910 synthetic absorbable suture round body- All size	
1997	Polyglactin 910 synthetic absorbable suture cutting- All size	
1998	Poliglecaprone 25synthetic absorbable suture round body- All size	
1999	Poliglecaprone 25synthetic absorbable suture cutting- All size	
2000	Polydioxanone synthetic absorbable suture round body- All size	
2001	Polydioxanone synthetic absorbable suture cutting- All size	
2002	Polybutylate coated braided polyester suture round body- All size	
2003	Polybutylate coated braided polyester suture cutting- All size	
2004	Monofilament stainless steel suture- All size	
2005	Polypropylene suture round body- All size	
2006	Polypropylene suture cutting- All size	
2007	Polyamide monofilament sutures round body- All size	
2008	Polyamide monofilament sutures cutting- All size	
2009	Black braided silk with needle suture round body- All size	
2010	Black braided silk with needle suture cutting- All size	
2011	Black braided silk reel (without needle)- All size	
2012	Sutupack pre-cut suture-All size	
2013	Spatulated Needle sutures-All materials & all size	
2014	Knotles sutures Bidirectional- All size	
2015	Knotles sutures Unidirectional- All size	
2016	Topical Skin Adhesive with mesh (22cm Mesh & 3.8 ml Liquid Adhesive	
2017	Topical Skin Adhesive plain (2-Octyl Cyanoacrylate)	

**Amendments mentioned hereunder are notified:**

Description	Specifications mentioned in the Bidding Document	Should be read as follows:
Last date & Time for submission / uploading of complete tender at <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> .	05/ 04 / 2021 up to 17.00 Hours	27/ 04 / 2021 up to 17.00 Hours
Last date, time and place for submission of hard copy of the Technical bid along with EMD & Tender Document Fee at Director's office, I.G.I.M.S., Patna by Speed / Registered post / Courier only	06/ 04 / 2021 up to 16.00 Hours, at Director IGIMS, Patna- 800014 (Bihar)	28/ 04 / 2021 up to 16.00 Hours, at Director IGIMS, Patna- 800014 (Bihar)
Date, Time and Place of opening of Techno Commercial bid only on <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> .	07/ 04 / 2021 at 15.00 hours on <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a>	29/ 04 / 2021 at 15.00 hours on <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a>

**Note:**

1. All other specification, terms and conditions of the original tender documents shall remain unchanged.
2. This amendment shall be part of the tender document and become effective immediately is supersession to the earlier corresponding version.

The document also can be downloaded from [www.eproc.bihar.govt.in](http://www.eproc.bihar.govt.in) and the IGIMS website [www.igims.org](http://www.igims.org).

*Shree*  
31/3/2021  
Director,  
IGIMS - Patna.



Office of Store & Procurement Section  
**INDIRA GANDHI INSTITUTE OF MEDICAL SCIENCES,**

SHEIKHPURA, PATNA - 800 014 (Bihar, India)

Tel.: 0612 - 2297631, 2297099; Fax: 0612 - 2297225; Website: [www.igims.org](http://www.igims.org);

E-Mail: [bmc@igims.org](mailto:bmc@igims.org) / [storeofficer@igims.org](mailto:storeofficer@igims.org)

Ref.: IGIMS/ 2021 / 476 / Adm. / Store.

Date: 26/04/2021

E-Tender Notice No- 15/2020-21/IGIMS/Store

**CORRIGENDUM-II**

Due to lockdown and night curfew imposed by various states as precaution measure to break chain of Corona virus transmission and subsequent to requests made by various prospective bidders, the last date of submission of bids against E-Tender Notice No- 15/2020-21/IGIMS/Store is hereby extended upto 17/05/2021. The revised schedule is as follows:

Description	Specifications mentioned in the Bidding Document	Should be read as follows:
Last date & Time for submission / uploading of complete tender at <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> .	27/ 04 / 2021 up to 17.00 Hours	17/ 05 / 2021 up to 17.00 Hours
Last date, time and place for submission of hard copy of the Technical bid along with EMD & Tender Document Fee at Director's office, I.G.I.M.S., Patna by Speed / Registered post / Courier only	28/ 04 / 2021 up to 16.00 Hours, at Director IGIMS, Patna- 800014 (Bihar)	18/ 05 / 2021 up to 16.00 Hours, at Director IGIMS, Patna- 800014 (Bihar)
Date, Time and Place of opening of Techno Commercial bid only on <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> .	29/ 04 / 2021 at 15.00 hours on <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a>	19/ 05 / 2021 at 15.00 hours on <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a>

Director,  
IGIMS - Patna.



Office of Store & Procurement Section  
**INDIRA GANDHI INSTITUTE OF MEDICAL SCIENCES,**

SHEIKHPURA, PATNA - 800 014 (Bihar, India)

Tel.: 0612 - 2297631, 2297099; Fax: 0612 - 2297225; Website: www.igims.org;

E-Mail: bme@igims.org / storeofficer@igims.org

Ref.: IGIMS/ 2021 / 524 / Adm. / Store.

Date: 17/05/2021

E-Tender Notice No- 15/2020-21/IGIMS/Store

**CORRIGENDUM-III**

Due to lockdown and night curfew imposed by various states as precaution measure to break chain of Corona virus transmission and subsequent to requests made by various prospective bidders, the last date of submission of bids against E-Tender Notice No- 15/2020-21/IGIMS/Store is hereby extended upto 01/06/2021. The revised schedule is as follows:

Description	Specifications mentioned in the Bidding Document	Should be read as follows:
Last date & Time for submission / uploading of complete tender at <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> .	17/ 05/ 2021 up to 17.00 Hours	01/06/ 2021 up to 17.00 Hours
Last date, time and place for submission of hard copy of the Technical bid along with EMD & Tender Document Fee at Director's office, I.G.I.M.S., Patna by Speed / Registered post / Courier only	18/ 05/ 2021 up to 16.00 Hours, at Director IGIMS, Patna- 800014 (Bihar)	02/06/ 2021 up to 16.00 Hours, at Director IGIMS, Patna- 800014 (Bihar)
Date, Time and Place of opening of Techno Commercial bid only on <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a> .	19/ 05/ 2021 at 15.00 hours on <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a>	03/06/ 2021 at 15.00 hours on <a href="http://www.eproc.bihar.gov.in">www.eproc.bihar.gov.in</a>

\*Note: No Compact Disk (CD) is required to be submitted as a soft copy with Financial Bid.

Director,  
IGIMS - Patna.